































Vidik

BELLA LUCE

INDEX

 6-7	 8-9	 10-11	 12-13
 14-15	 16-17	 18-19	 20-21
 22-23	 24-25	 26-27	 28-29
 30-31	 32-33	 34-35	 36-37
 38-39	 40-41	 42-43	 44-45
 46-47	 48-49	 50-51	 52-53
 54-55	 56-57	 58-59	 60-61

INDEX

 62-63	 64-65	 66-67	 68-69
 70-71	 72-73	 74-75	 76-77
 78-79	 80-81	 82-83	 84-85
 86-87	 88-89	 90-91	 92-93
 94-95	 96-97	 98-99	 100-101
 102-103	 104-105	 106-107	 108-109
 110-111	 112-113		




23108
 LED 38 W + LED 2 x 2 W
 500 mm
 140 mm
 3000 K, 4000 K, 6000 K
 2086 lm
 ● ● ●
 daljinski upravljač



23110
 LED 38 W + LED 1 x 2 W
 480 mm
 140 mm
 400 mm
 3000 K, 4000 K, 6000 K
 2034 lm
 ● ● ●
 daljinski upravljač

MONDO series

23109
 LED 38 W + LED 1 x 2 W
 420 mm
 140 mm
 420 mm
 3000 K, 4000 K, 6000 K
 2167 lm
 ● ● ●
 daljinski upravljač



23111
 LED 18 W + LED 1 x 2 W
 300 mm
 140 mm
 3000 K, 4000 K, 6000 K
 959 lm
 ● ● ●
 daljinski upravljač



23112
 LED 18 W + LED 2 x 2 W
 400 mm
 140 mm
 3000 K, 4000 K, 6000 K
 949 lm
 ● ● ●
 daljinski upravljač

22867

- 💡 LED 85 W
- ↔ 500 mm
- ↕ 135 mm
- ↗ 430 mm
- ⊙ 3000 K, 4000 K, 6000 K
6800 lm, dimabilna
- ● ●
daljinski upravljač, aplikacija



ROMA series



22868

- 💡 LED 75 W
- ↔ 500 mm
- ↕ 135 mm
- ⊙ 3000 K, 4000 K, 6000 K
6000 lm, dimabilna
- ● ●
daljinski upravljač, aplikacija

22767

- 💡 LED 24 W + 2 x G9
- ↔ 400 mm
- ↕ 140 mm
- ↗ 340 mm
- ⊙ 4000 K, 1178 lm




22768

- 💡 LED 24 W + 2 x G9
- ↔ 400 mm
- ↕ 140 mm
- ↗ 300 mm
- ⊙ 4000 K, 1100 lm



23162

- 💡 LED 38 W
- ↔ 790 mm
- ↕ 90 mm
- ↗ 200 mm
- ⊙ 4000 K, 4900 lm



CAPRI series

23161

- 💡 LED 28 W
- ↔ 390 mm
- ↕ 90 mm
- ↗ 390 mm
- ⊙ 4000 K, 3600 lm






23000

- 💡 LED 48 W
- ↔ 735 mm
- ↕ 65 mm
- ↙↘ 595 mm
- 3000 K, 2316 lm



22871

- 💡 LED 60 W
- ↔ 505 mm
- ↕ 52 mm
- ↙↘ 400 mm
- 3000 K, 4000 K, 6000 K
- 5400 lm, dimabilna
-
- daljinski upravljač, aplikacija




22999

- 💡 LED 28 W
- ↔ 510 mm
- ↕ 65 mm
- ↙↘ 260 mm
- 3000 K, 1411 lm



22872

- 💡 LED 60 W
- ↔ 505 mm
- ↕ 52 mm
- ↙↘ 505 mm
- 3000 K, 4000 K, 6000 K
- 5400 lm, dimabilna
-
- daljinski upravljač, aplikacija



22998

- 💡 LED 18 W
- ↔ 470 mm
- ↕ 65 mm
- ↙↘ 330 mm
- 3000 K, 1128 lm

RAVENNA series



22940
LED 42 W
420 mm
100 mm
370 mm
4000 K, 2400 lm



22941
LED 42 W
420 mm
100 mm
370 mm
4000 K, 2400 lm



22942
LED 42 W
420 mm
100 mm
370 mm
4000 K, 2400 lm



23120
LED 34 W
500 mm
80 mm
3000 K, 4000 K, 6500 K
2119 lm
Color selection icons: yellow, white, blue

23121
LED 34 W
500 mm
80 mm
3000 K, 4000 K, 6500 K
1964 lm
Color selection icons: yellow, white, blue



MONIA series




22883
LED 24 W
380 mm
65 mm
4000 K, 2200 lm



22884
LED 48 W
480 mm
65 mm
4000 K, 4400 lm



22885
LED 24 W
380 mm
65 mm
4000 K, 2200 lm



22886
LED 48 W
480 mm
65 mm
4000 K, 4400 lm



22869

-  LED 70 W
-  500 mm
-  68 mm
-  450 mm
-  3000 K, 4000 K, 6000 K
-  5600 lm
-  daljinski upravljač, aplikacija



23018

-  LED 30 W
-  550 mm
-  280 mm
-  4000 K, 5520 lm



22870

-  LED 64 W
-  560 mm
-  135 mm
-  470 mm
-  3000 K, 4000 K, 6500 K
-  4500 lm
-  daljinski upravljač, aplikacija



23019

-  LED 25 W
-  900 mm
-  1200 mm
-  4000 K, 4560 lm

FUTURO series



23132

- 💡 LED 24 W
- ↔ 300 mm
- ↕ 50 mm
- 4000 K, 3100 lm



23133

- 💡 LED 36 W
- ↔ 400 mm
- ↕ 50 mm
- 4000 K, 4600 lm

ROLO series



23158

- 💡 LED 36 W
- ↔ 500 mm
- ↕ 90 mm
- 4000 K, 4600 lm



23160

- 💡 LED 45 W
- ↔ 500 mm
- ↕ 120 mm
- 3000 K, 4000 K, 6000 K
- 5800 lm, dimabilna
- ○ ○
- daljinski upravljač

23159

- 💡 LED 45 W
- ↔ 500 mm
- ↕ 120 mm
- ↗ 500 mm
- 3000 K, 4000 K, 6000 K
- 5800 lm, dimabilna
- ○ ○
- daljinski upravljač





22887
 LED 20 W
 330 mm
 70 mm
 4000 K, 1800 lm




23017
 LED 40 W
 430 mm
 50 mm
 350 mm
 4000 K, 6960 lm

22888
 LED 28 W
 380 mm
 70 mm
 4000 K, 2600 lm



23113
 LED 38 W
 480 mm
 60 mm
 480 mm
 3000 K, 4000 K, 6000 K
 2528 lm
 daljinski upravljač




22956
 LED 24 W
 372 mm
 60 mm
 4000 K, 1485 lm



23033
 LED 16 W
 291 mm
 350 mm
 3000 K, 814 lm

22957
 LED 24 W
 362 mm
 60 mm
 362 mm
 4000 K, 1377 lm



CASA series

GIULIA series

22762

 LED 36 W
 475 mm
 65 mm
 3000 K, 4000 K, 6000 K
 2635 lm, dimabilna

 daljinski upravljač



22754

 LED 36 W
 485 mm
 75 mm
 3000 K, 4000 K, 6000 K
 4047 lm


 daljinski upravljač



22764

 LED 24 W
 380 mm
 60 mm
 3000 K, 4000 K, 6000 K
 1665 lm, dimabilna

 daljinski upravljač






22763


 LED 24 W
 380 mm
 60 mm
 3000 K, 4000 K, 6000 K
 1805 lm, dimabilna

 daljinski upravljač

22753

 LED 18 W
 335 mm
 65 mm
 4000 K, 1878 lm






22755
 LED 24 W
 440 mm
 75 mm
 4000 K, 3369 lm





22758
 LED 24 W
 390 mm
 65 mm
 4000 K, 2755 lm

22756
 LED 36 W
 540 mm
 80 mm
 3000 K, 4000 K, 6000 K
 4947 lm



22759
 LED 36 W
 480 mm
 60 mm
 3000 K, 4000 K, 6000 K
 4162 lm, dimabilna
 daljinski upravljač

22757
 LED 36 W
 540 mm
 80 mm
 3000 K, 4000 K, 6000 K
 4848 lm, dimabilna
 daljinski upravljač



22760
 LED 24 W
 380 mm
 55 mm
 4000 K, 2804 lm

22761
 LED 36 W
 480 mm
 50 mm
 3000 K, 4000 K, 6000 K
 3461 lm, dimabilna
 daljinski upravljač



AURORA series



23171
 LED 28 W
 300 mm
 70 mm
 3000 K, 4000 K, 6000 K
 1876 lm, dimabilna
 ●○○○
 daljinski upravljač



23172
 LED 38 W
 400 mm
 75 mm
 3000 K, 4000 K, 6500 K
 3259 lm, dimabilna
 ●○○○
 daljinski upravljač



23173
 LED 38 W
 400 mm
 53 mm
 3000 K, 4000 K, 6000 K
 1955 lm, dimabilna
 ●○○○
 daljinski upravljač

23174
 LED 36 W
 400 mm
 65 mm
 3000 K, 4000 K, 6000 K
 1817 lm, dimabilna
 ●○○○
 daljinski upravljač



23175
 LED 52 W
 500 mm
 80 mm
 3000 K, 4000 K, 6000 K
 3038 lm, dimabilna
 ●○○○
 daljinski upravljač


SOLE series




22959
 LED 24 W
 350 mm
 65 mm
 4000 K, 1501 lm



22958
 LED 24 W
 410 mm
 60 mm
 4000 K, 1445 lm



22960
 LED 24 W
 400 mm
 55 mm
 4000 K, 676 lm



22961
 LED 40 W
 505 mm
 50 mm
 505 mm
 4000 K, 1770 lm

COLORE series



22874

- 💡 LED 60 W
- ↔ 450 mm
- ↕ 60 mm
- ⊙ 3000 K, 4000 K, 6000 K
5400 lm
- ● ●



22765

- 💡 LED 24 W
- ↔ 390 mm
- ↕ 75 mm
- ⊙ 4000 K, 2887 lm



22873

- 💡 LED 70 W
- ↔ 490 mm
- ↕ 65 mm
- ⊙ 3000 K, 4000 K, 6000 K
6300 lm
- ● ●



22766

- 💡 LED 36 W
- ↔ 490 mm
- ↕ 70 mm
- ⊙ 3000 K, 4000 K, 6000 K
4290 lm, dimabilna
- ● ●
- daljinski upravljač





23126


- 💡 LED 26 W
- ↔ 410 mm
- ↕ 230 mm
- 4000 K, 3300 lm

SPACE series



23127

- 💡 LED 40 W
- ↔ 600 mm
- ↕ 1200 mm
- 4000 K, 5200 lm



23130

- 💡 LED 40 W
- ↔ 530 mm
- ↕ 110 mm
- ↗ 390 mm
- 4000 K, 5200 lm



23131

- 💡 LED 40 W
- ↔ 590 mm
- ↕ 70 mm
- 4000 K, 5200 lm



23129

- 💡 LED 50 W
- ↔ 300 mm
- ↕ 1200 mm
- 4000 K, 6500 lm



23128

- 💡 LED 50 W
- ↔ 600 mm
- ↕ 1200 mm
- 4000 K, 6500 lm

22889

- 💡 LED 12 W
- ↔ 195 mm
- ↕ 225 mm
- ↙ 50 mm
- 4000 K, 900 lm



22890

- 💡 LED 12 W
- ↔ 195 mm
- ↕ 225 mm
- ↙ 50 mm
- 4000 K, 900 lm



MOON

22891

- 💡 LED 12 W
- ↔ 220 mm
- ↕ 270 mm
- ↙ 50 mm
- 4000 K, 900 lm



22892

- 💡 LED 12 W
- ↔ 220 mm
- ↕ 270 mm
- ↙ 50 mm
- 4000 K, 900 lm



22894

- 💡 LED 12 W
- ↔ 190 mm
- ↕ 215 mm
- ↙ 45 mm
- 4000 K, 900 lm



22893

- 💡 LED 12 W
- ↔ 190 mm
- ↕ 215 mm
- ↙ 45 mm
- 4000 K, 900 lm




22895

- 💡 LED 12 W
- ↔ 220 mm
- ↕ 260 mm
- ↙ 47 mm
- 4000 K, 900 lm



22896

- 💡 LED 12 W
- ↔ 220 mm
- ↕ 260 mm
- ↙ 47 mm
- 4000 K, 900 lm





22875
 LED 86 W
 500 mm
 215 mm
 3000 K, 4000 K, 6000 K
 6900 lm, dimabilna
 ●○○○
 daljinski upravljač, aplikacija



22876
 LED 96 W
 500 mm
 1200 mm
 3000 K, 4000 K, 6000 K
 7700 lm, dimabilna
 ●○○○
 daljinski upravljač, aplikacija



22877
 LED 115 W
 600 mm
 1200 mm
 3000 K, 4000 K, 6000 K
 9200 lm, dimabilna
 ●○○○
 daljinski upravljač, aplikacija



22878
 LED 105 W
 500 mm
 1500 mm
 3000 K, 4000 K, 6000 K
 8700 lm, dimabilna
 ●○○○
 daljinski upravljač, aplikacija

22879
 LED 123 W
 500 mm
 1500 mm
 3000 K, 4000 K, 6000 K
 9800 lm, dimabilna
 ●○○○
 daljinski upravljač, aplikacija



VENEZIA series

MONACO series

23123

- 💡 LED 50 W
- ↔ 1250 mm
- ↕ 1200 mm
- ↘ 480 mm
- 4000 K, 6500 lm

23125

- 💡 LED 40 W
- ↔ 250 mm
- ↕ 1200 mm
- 4000 K, 5200 lm

23124

- 💡 LED 20 W
- ↔ 225 mm
- ↕ 1200 mm
- 4000 K, 2600 lm

23150

- 💡 LED 40 W
- ↔ 900 mm
- ↕ 1500 mm
- ↙ 140 mm
- 4000 K, 5200 lm



23153

- 💡 LED 12 W
- ↕ 1500 mm
- ↙ 230 mm
- 4000 K, 1500 lm



23152

- 💡 LED 12 W
- ↕ 405 mm
- ↙ 150 mm
- 4000 K, 1500 lm



23151

- 💡 LED 12 W
- ↔ 140 mm
- ↕ 1500 mm
- 4000 K, 1500 lm



FIORE series

23147

- 💡 LED 28 W
- ↔ 450 mm
- ↕ 385 mm
- ↙ 380 mm
- 4000 K, 3600 lm



23149

- 💡 LED 28 W
- ↔ 450 mm
- ↕ 1520 mm
- ↙ 380 mm
- 4000 K, 3600 lm



23146

- 💡 LED 48 W
- ↔ 450 mm
- ↕ 1500 mm
- 4000 K, 6200 lm



23148

- 💡 LED 16 W
- ↔ 450 mm
- ↕ 360 mm
- ↙ 220 mm
- 4000 K, 2000 lm



LOTUS series

GIRO series



23136

- 💡 LED 20 W
- ↔ 650 mm
- ↕ 90 mm
- ↙ 300 mm
- 4000 K, 2600 lm



23135

- 💡 LED 12 W
- ↔ 380 mm
- ↕ 90 mm
- ↙ 300 mm
- 4000 K, 1500 lm



23137

- 💡 LED 8 W
- ↔ 265 mm
- ↕ 320 mm
- ↙ 90 mm
- 4000 K, 1000 lm



23134

- 💡 LED 32 W
- ↔ 950 mm
- ↕ 1200 mm
- ↙ 300 mm
- 4000 K, 4100 lm



23139

- 💡 LED 15 W
- ↔ 360 mm
- ↕ 1520 mm
- ↙ 230 mm
- 4000 K, 1900 lm



23138

- 💡 LED 8 W
- ↔ 260 mm
- ↕ 350 mm
- ↙ 150 mm
- 4000 K, 1000 lm




GIRO series

CUBO


23142

- 💡 LED 16 W
- ↔ 330 mm
- ↕ 420 mm
- ↙ 90 mm
- 4000 K, 2000 lm



23143

- 💡 LED 24 W
- ↔ 720 mm
- ↕ 90 mm
- ↙ 330 mm
- 4000 K, 3100 lm



23141

- 💡 LED 36 W
- ↔ 1080 mm
- ↕ 90 mm
- ↙ 330 mm
- 4000 K, 4600 lm




23140

- 💡 LED 36 W
- ↔ 1080 mm
- ↕ 1500 mm
- ↙ 330 mm
- 4000 K, 4600 lm



23144

- 💡 LED 16 W
- ↔ 350 mm
- ↕ 460 mm
- ↙ 120 mm
- 4000 K, 2000 lm



23145

- 💡 LED 16 W
- ↔ 350 mm
- ↕ 1550 mm
- ↙ 160 mm
- 4000 K, 2000 lm





22881




-  LED 4 W
-  120 mm
-  300 mm
-  110 mm
-  3000 K, 300 lm



22880




-  LED 12 W
-  80 mm
-  220 mm
-  90 mm
-  3000 K, 4000 K, 6000 K
900 lm
- 

22882

-  LED 8 W
-  600 mm
-  85 mm
-  3000 K, 600 lm






22943

-  LED 6 W
-  600 mm
-  4000 K, 300 lm




22944


-  LED 12 W
-  800 mm
-  4000 K, 400 lm



CONDOR_{series}



22990
LED 32 W
630 mm
100 mm
4000 K, 1800 lm



22991
LED 24 W
630 mm
100 mm
4000 K, 1300 lm



22992
LED 8 W
120 mm
290 mm
125 mm
4000 K, 400 lm

22993
LED 8 W
120 mm
340 mm
120 mm
4000 K, 320 lm



22994
LED 32 W
220 mm
1450 mm
220 mm
4000 K, 1340 lm

DOMINO series



23037

- 💡 LED 20 W
- ↔ 200 mm
- ↕ 200 mm
- ☉ 4000 K, 2000 lm




23036

- 💡 LED 65 W
- ↔ 910 mm
- ↕ 1200 mm
- ↗ 295 mm
- ☉ 4000 K, 6500 lm




23034

- 💡 LED 30 W
- ↔ 1515 mm
- ↕ 1500 mm
- ☉ 4000 K, 4400 lm



23035

- 💡 LED 45 W + LED 2 x 3 W
- ↔ 800 mm
- ↕ 1500 mm
- ☉ 4000 K, 5100 lm



23038

- 💡 LED 20 W
- ↔ 200 mm
- ↕ 400 mm
- ☉ 4000 K, 2000 lm



23039

- 💡 LED 37 W
- ↔ 1110 mm
- ↕ 1200 mm
- ☉ 4000 K, 3700 lm



ARTISTO series

D'ORO

23070

- 💡 LED 10 W
- ↔ 350 mm
- ↕ 1200 mm
- ☉ 4000 K, 1650 lm

23071

- 💡 LED 10 W
- ↔ 330 mm
- ↕ 650 mm
- ☉ 4000 K, 1400 lm

23072

- 💡 LED 20 W
- ↔ 330 mm
- ↕ 1650 mm
- ☉ 4000 K, 2600 lm

23069

- 💡 LED 25 W
- ↔ 800 mm
- ↕ 1200 mm
- ☉ 4000 K, 4125 lm

23073

- 💡 LED 5 W
- ↔ 200 mm
- ↕ 220 mm
- ☉ 4000 K, 825 lm

23061

- 💡 LED 10 W
- ↔ 160 mm
- ↕ 350 mm
- ↙ 160 mm
- ⦿ 4000 K, 2000 lm

23064

- 💡 LED 50 W
- ↔ 400 mm
- ↕ 1500 mm
- ⦿ 4000 K, 10100 lm

23060

- 💡 LED 26 W
- ↔ 900 mm
- ↕ 1200 mm
- ↙ 206 mm
- ⦿ 4000 K, 5200 lm

23063

- 💡 LED 26 W
- ↔ 200 mm
- ↕ 1550 mm
- ⦿ 4000 K, 3300 lm

23062

- 💡 LED 12 W
- ↔ 140 mm
- ↕ 400 mm
- ⦿ 4000 K, 1500 lm

MODERNA

series

23056

 LED 26 W
 900 mm
 1200 mm
 206 mm
 4000 K, 5000 lm

23057

 LED 10 W
 160 mm
 350 mm
 160 mm
 4000 K, 1650 lm



22955

 LED 30 W
 600 mm
 180 mm
 4000 K, 728 lm

23058

 LED 12 W
 140 mm
 400 mm
 4000 K, 1400 lm

23059

 LED 26 W
 200 mm
 1550 mm
 4000 K, 3300 lm

22954

 LED 36 W
 500 mm
 1500 mm
 4000 K, 910 lm

SPIRALE NERA series

STICKS



23047
 LED 25 W
 850 mm
 1200 mm
 4000 K, 2500 lm



23048
 LED 40 W
 760 mm
 105 mm
 4000 K, 3800 lm



23050
 LED 6 W
 150 mm
 530 mm
 4000 K, 670 lm



23046
 LED 40 W
 850 mm
 1200 mm
 4000 K, 3800 lm

23051
 LED 6,5 W
 120 mm
 430 mm
 4000 K, 670 lm

23049
 LED 18 W
 180 mm
 1180 mm
 4000 K, 1500 lm



GRAZIA

23164

- 💡 LED 24 W
- ↔ 600 mm
- ↕ 210 mm
- ↙ 150 mm
- 4000 K, 3100lm

23166

- 💡 LED 32 W
- ↔ 260 mm
- ↕ 1520 mm
- ↙ 320 mm
- 4000 K, 4100 lm

23165

- 💡 LED 12 W
- ↔ 180 mm
- ↕ 470 mm
- ↙ 230 mm
- 4000 K, 1500 lm

23163

- 💡 LED 32 W
- ↔ 1000 mm
- ↕ 1500 mm
- ↙ 95 mm
- 4000 K, 4100 lm



23040

- 💡 LED 20 W + LED 3 x 5 W
- ↔ 600 mm
- ↕ 80 mm
- ↙ 135 mm
- 4000 K, 3500 lm



23041

- 💡 LED 15 W + 1 x GU10
- ↔ 305 mm
- ↕ 60 mm
- 4000 K, 1500 lm



23001

- 💡 LED 24 W
- ↔ 260 mm
- ↕ 60 mm
- 4000 K, 1920 lm
- IP65

23003

- 💡 LED 40 W
- ↔ 400 mm
- ↕ 50 mm
- 4000 K, 3200 lm
- IP65



23002

- 💡 LED 24 W
- ↔ 260 mm
- ↕ 60 mm
- 4000 K, 1920 lm
- IP65

AQUA series



23053

- 💡 LED 13 W
- ↔ 150 mm
- ↕ 400 mm
- ⦿ 4000 K, 2665 lm



23052

- 💡 LED 60 W
- ↔ 600 mm
- ↕ 1500 mm
- ⦿ 4000 K, 12300 lm



23055

- 💡 LED 30 W
- ↔ 220 mm
- ↕ 1250 mm
- ⦿ 4000 K, 6150 lm



23054

- 💡 LED 13 W
- ↔ 200 mm
- ↕ 500 mm
- ⦿ 4000 K, 2665 lm



DEVINE series

23067

- 💡 LED 40 W
- ↔ 1000 mm
- ↕ 1200 mm
- ⦿ 4000 K, 8200 lm



23065

- 💡 LED 8 W
- ↔ 150 mm
- ↕ 1200 mm
- ⦿ 4000 K, 1640 lm



23068

- 💡 LED 8 W
- ↔ 150 mm
- ↕ 410 mm
- ⦿ 4000 K, 1640 lm



23066

- 💡 LED 24 W
- ↔ 200 mm
- ↕ 1200 mm
- ⦿ 4000 K, 4920 lm



BELLA series

23156

- 💡 LED 45 W
- ↔ 930 mm
- ↕ 1500 mm
- ↙ 285 mm
- 4000 K, 5800 lm

23155

- 💡 LED 45 W
- ↔ 550 mm
- ↕ 1500 mm
- 4000 K, 5800 lm

23154

- 💡 LED 38 W
- ↔ 590 mm
- ↕ 90 mm
- ↙ 580 mm
- 4000 K, 4900 lm

23157

- 💡 LED 36 W
- ↔ 500 mm
- ↕ 100 mm
- 4000 K, 4600 lm

23117

- 💡 LED 37 W
- ↔ 1000 mm
- ↕ 1200 mm
- 4000 K, 3925 lm

23116


- 💡 LED 37 W
- ↔ 850 mm
- ↕ 1400 mm
- 4000 K, 3866 lm

23119

- 💡 LED 10 W
- ↔ 200 mm
- ↕ 230 mm
- ↙ 70 mm
- 4000 K, 985 lm

23182

- 💡 LED 32 W
- ↔ 1200 mm
- ↕ 1500 mm
- ⦿ 3000 K, 2062 lm



HEARTBEATE series

23183

- 💡 LED 18 W
- ↕ 600 mm
- ↗ 210 mm
- ⦿ 3000 K, 1453 lm



23184

- 💡 LED 36 W
- ↕ 1600 mm
- ↗ 320 mm
- ⦿ 3000 K, 2602 lm



23170

- 💡 LED 3 x 10 W
- ↔ 800 mm
- ↕ 1500 mm
- ↗ 250 mm
- ⦿ 4000 K, 3900 lm



23167

- 💡 LED 10 W
- ↔ 250 mm
- ↕ 1500 mm
- ⦿ 4000 K, 1300 lm



23168

- 💡 LED 10 W
- ↔ 250 mm
- ↕ 250 mm
- ↗ 100 mm
- ⦿ 4000 K, 1300 lm

23169

- 💡 LED 10 W
- ↔ 250 mm
- ↕ 180 mm
- ⦿ 4000 K, 1300 lm



LAVA series



23118

- 💡 LED 18 W
- ↔ 500 mm
- ↕ 1000 mm
- ⦿ 3000 K, 4000 K, 6000 K
1455 lm
- daljinski upravljač

22769

- 💡 LED 36 W
- ↔ 400 mm
- ↕ 1500 mm
- ⦿ 4000 K, 2742 lm

23122

- 💡 LED 39 W
- ↔ 460 mm
- ↕ 130 mm
- ⦿ 3000 K, 4000 K, 6000 K
1946 lm
- daljinski upravljač

23114

- 💡 LED 19 W
- ↔ 480 mm
- ↕ 1000 mm
- ⦿ 3000 K, 4000 K, 6000 K
705 lm
- daljinski upravljač

23115

- 💡 LED 19 W
- ↔ 450 mm
- ↕ 85 mm
- ⦿ 3000 K, 4000 K, 6000 K
1855 lm
- daljinski upravljač

CORADO series




23021

- 💡 LED 15 W
- ↔ 700 mm
- ↕ 1200 mm
- ↗ 150 mm
- 4000 K, 2025 lm



23020

- 💡 LED 5 W
- ↔ 150 mm
- ↕ 1200 mm
- 4000 K, 675 lm



NOTTE

series

23024

- 💡 LED 5 W
- ↕ 600 mm
- ↗ 160 mm
- 4000 K, 675 lm



23022

- 💡 LED 24 W
- ↔ 1185 mm
- ↕ 1200 mm
- ↗ 150 mm
- 4000 K, 3375 lm



23023

- 💡 LED 24 W
- ↔ 590 mm
- ↕ 1500 mm
- 4000 K, 3375 lm



23025

- 💡 LED 10 W
- ↕ 1600 mm
- ↗ 220 mm
- 4000 K, 1350 lm



23176

- 💡 LED 9 W
- ↔ 150 mm
- ↕ 1500 mm
- 3000 K, 545 lm



23178

- 💡 LED 27 W
- ↔ 420 mm
- ↕ 1600 mm
- 3000 K, 1297 lm



23177

- 💡 LED 36 W
- ↔ 950 mm
- ↕ 1500 mm
- ↗ 150 mm
- 3000 K, 2236 lm



23179

- 💡 LED 9 W
- ↔ 150 mm
- ↕ 260 mm
- ↗ 200 mm
- 3000 K, 539lm



23180

- 💡 LED 9 W
- ↔ 170 mm
- ↕ 500 mm
- ↗ 240 mm
- 3000 K, 504 lm



23181

- 💡 LED 9 W
- ↔ 150 mm
- ↕ 1620 mm
- ↗ 250 mm
- 3000 K, 471 lm



PICASSO series

23029

- 💡 LED 32 W
- ↔ 780 mm
- ↕ 1500 mm
- 3000 K, 2224 lm



23028

- 💡 LED 16 W
- ↔ 1215 mm
- ↙ 275 mm
- 3000 K, 1103 lm



23026

- 💡 LED 8 W
- ↔ 125 mm
- ↙ 167 mm
- 3000 K, 537 lm



23027

- 💡 LED 8 W
- ↕ 393 mm
- ↙ 208 mm
- 3000 K, 561 lm



ANELLO
series

PERLA

series

23032

- 💡 LED 20 W
- ↔ 900 mm
- ↕ 1500 mm
- 3000 K, 2567 lm



23030

- 💡 LED 5 W
- ↔ 150 mm
- ↕ 260 mm
- ↙ 240 mm
- 3000 K, 528 lm



23031

- 💡 LED 5 W
- ↔ 200 mm
- ↕ 400 mm
- 3000 K, 454 lm



NEVE series



22995

- 💡 LED 10 W
- ↔ 150 mm
- ↕ 220 mm
- ↘ 235 mm
- 3000 K, 865 lm



22996

- 💡 LED 10 W
- ↔ 150 mm
- ↕ 1500 mm
- 3000 K, 865 lm



22997

- 💡 LED 50 W
- ↔ 650 mm
- ↕ 1500 mm
- 3000 K, 4029 lm



23247

- 💡 LED 157 W
- ↔ 800 mm
- ↕ 1600 mm
- 3000 K, 13115 lm

23248

- 💡 LED 95 W
- ↔ 600 mm
- ↕ 1400 mm
- 3000 K, 8019 lm

23249

- 💡 LED 72 W
- ↔ 500 mm
- ↕ 1300 mm
- 3000 K, 6138 lm



23250

- 💡 LED 16 W
- ↔ 150 mm
- 3000 K, 1332 lm



MISTIQUE series

23191

💡 3 x E27, max. 60 W

↔ 1030 mm

↕ 560 mm



23189

💡 1 x E27, max. 60 W

↔ 420 mm

↕ 560 mm



23190

💡 2 x E27, max. 60 W

↔ 720 mm

↕ 560 mm



23192

💡 5 x E27, max. 60 W

↔ 720 mm

↕ 560 mm



23193

💡 1 x E27, max. 60 W

↔ 150 mm

↕ 220 mm

↗ 230 mm



23194

💡 1 x E27, max. 60 W

↔ 150 mm

↕ 390 mm

↗ 250 mm




STELLA series



23185

- 💡 1 x E14, max. 12 W LED
- ↔ 160 mm
- ↕ 160 mm
- ↗ 210 mm



23186

- 💡 1 x E14, max. 12 W LED
- ↔ 160 mm
- ↕ 650 mm

GRANDE series



23188

- 💡 4 x E14, max. 12 W LED
- ↔ 800 mm
- ↕ 650 mm



23187

- 💡 3 x E14, max. 12 W LED
- ↔ 500 mm
- ↕ 650 mm

SONO series

22669

3 x E27, max. 40 W
700 mm
1320 mm



22601

3 x E27, max. 60 W
870 mm
650 mm



22603

2 x E27, max. 40 W
450 mm
1200 mm



21685

2 x E27, max. 40 W
320 mm
800 mm



22668

1 x E27, max. 40 W
190 mm
1300 mm



22602

8 x E27, max. 60 W
650 mm
1200 mm





22909

💡 6 x E27, max. 40 W

↔ 700 mm

↕ 1200 mm

VERONA series



22908

💡 3 x E27, max. 40 W

↔ 700 mm

↕ 1200 mm



22907

💡 2 x E27, max. 40 W

↔ 710 mm

↕ 1200 mm



22966

💡 LED 8 W

↔ 130 mm

↕ 200 mm

● 3000 K, 895 lm



VISION series



22967

💡 LED 16 W

↔ 180 mm

↕ 200 mm

● 3000 K, 1809 lm



DOPPIO



22905

1 x E27, max. 40 W +
2 x GU10, max. 10 W LED

680 mm

850 mm




22906

2 x E27, max. 40 W +
3 x GU10, max. 10 W LED

680 mm

850 mm




22903

1 x E27, max. 40 W +
2 x GU10, max. 10 W LED

680 mm

170 mm



22904

1 x E27, max. 40 W +
3 x GU10, max. 10 W LED

680 mm

170 mm

SFERA series

22897

- 💡 1 x E27, max. 40 W
- ↔ 550 mm
- ↕ 1200 mm
- ↙ 150 mm



22900

- 💡 4 x E27, max. 40 W
- ↔ 1000 mm
- ↕ 600 mm
- ↙ 150 mm




22901

- 💡 1 x E27, max. 40 W
- ↔ 150 mm
- ↕ 250 mm
- ↙ 200 mm



22902

- 💡 4 x E27, max. 40 W
- ↔ 850 mm
- ↕ 1300 mm
- ↙ 150 mm



22898

- 💡 2 x E27, max. 40 W
- ↔ 970 mm
- ↕ 1200 mm
- ↙ 150 mm



22899

- 💡 3 x E27, max. 40 W
- ↔ 780 mm
- ↕ 600 mm
- ↙ 150 mm



ELEGANZA_{series}

22925

- 💡 5 x E27, max. 40 W
- ↔ 890 mm
- ↕ 1300 mm
- ↙ 150 mm



22924

- 💡 5 x E27, max. 40 W
- ↔ 890 mm
- ↕ 1300 mm
- ↙ 150 mm



22920

- 💡 2 x E27, max. 40 W
- ↔ 480 mm
- ↕ 1100 mm
- ↙ 150 mm




22923

- 💡 3 x E27, max. 40 W
- ↔ 550 mm
- ↕ 1100 mm
- ↙ 150 mm



22921

- 💡 2 x E27, max. 40 W
- ↔ 480 mm
- ↕ 1100 mm
- ↙ 150 mm



22922

- 💡 3 x E27, max. 40 W
- ↔ 550 mm
- ↕ 1100 mm
- ↙ 150 mm



MAURO series

22911

💡 4 x E27, max. 40 W
↔ 750 mm
↕ 1200 mm



22910

💡 4 x E27, max. 40 W
↔ 750 mm
↕ 1200 mm



22912

💡 6 x E27, max. 40 W
↔ 740 mm
↕ 1400 mm



22913

💡 6 x E27, max. 40 W
↔ 740 mm
↕ 1400 mm





22919
 ⚡ 5 x E27, max. 40 w
 ⇔ 550 mm
 ⚡ 500 mm
 ↻ ↺



22914
 ⚡ 1 x E27, max. 40 w
 ⇔ 150 mm
 ⚡ 500 mm
 ↻ ↺

22916
 ⚡ 3 x E27, max. 40 w
 ⇔ 540 mm
 ⚡ 500 mm
 ↻ ↺



22915
 ⚡ 1 x E27, max. 40 w
 ⇔ 150 mm
 ⚡ 500 mm
 ↻ ↺

MAURO 2 series

22917
 ⚡ 3 x E27, max. 40 w
 ⇔ 540 mm
 ⚡ 500 mm
 ↻ ↺



22918
 ⚡ 5 x E27, max. 40 w
 ⇔ 550 mm
 ⚡ 500 mm
 ↻ ↺



23198

💡 5 x E27, max. 60 W
↔ 300 mm
↕ 1000 mm
žarulje nisu uključene



23196

💡 3 x E27, max. 60 W
↔ 680 mm
↕ 1000 mm
žarulje nisu uključene



23197

💡 4 x E27, max. 60 W
↔ 850 mm
↕ 1000 mm
žarulje nisu uključene



23195

💡 1 x E27, max. 60 W
↔ 80 mm
↕ 1000 mm
žarulje nisu uključene



CANDELA series

23199

1 x E27, max. 60 W

120 mm

1000 mm

žarulje nisu uključene



23202

4 x E27, max. 60 W

350 mm

1000 mm

žarulje nisu uključene



23200

2 x E27, max. 60 W

300 mm

1000 mm

žarulje nisu uključene



23201

3 x E27, max. 60 W

500 mm

1000 mm

žarulje nisu uključene



23203

6 x E27, max. 60 W

500 mm

1000 mm

žarulje nisu uključene



CANDELA 2 series


22927

- 💡 1 x E27, max. 40 W
- ↔ 260 mm
- ↕ 300 mm
- ↗ 350 mm



22926

- 💡 1 x E27, max. 40 W
- ↔ 450 mm
- ↕ 1200 mm



22929

- 💡 1 x E27, max. 40 W
- ↔ 450 mm
- ↕ 1670 mm



22928

- 💡 1 x E27, max. 40 W
- ↔ 260 mm
- ↕ 430 mm



21998

- 💡 2 x E27, max. 40 W
- ↔ 700 mm
- ↕ 1000 mm



GRAY series

SPOT series



23204

1 x GU10
max. LED 10 W
98 mm
124 mm



23205

1 x GU10
max. LED 10 W
98 mm
124 mm



23215

1 x GU10
max. LED 10 W
54 mm
106 mm



23214

1 x GU10
max. LED 10 W
54 mm
106 mm



23206

1 x GU10
max. LED 10 W
98 mm
124 mm



23207

1 x GU10
max. LED 10 W
70 mm
100 mm



23217

1 x GU10
max. LED 10 W
70 mm
100 mm



23216

1 x GU10
max. LED 10 W
70 mm
100 mm



23208

1 x GU10
max. LED 10 W
70 mm
100 mm



23209

1 x GU10
max. LED 10 W
70 mm
100 mm



23219

1 x GU10
max. LED 10 W
55 mm
100 mm



23218

1 x GU10
max. LED 10 W
55 mm
100 mm



23213

- 💡 LED 10 W
- ↔ 100 mm
- ↕ 65 mm
- 4000 K, 700 lm



23210

- 💡 LED 3 W
- ↔ 55 mm
- ↕ 60 mm
- 4000 K, 210 lm



23221

- 💡 1 x GU10, max. LED 10 W
- ↔ 55 mm
- ↕ 100 mm

SPOT series



23211

- 💡 LED 3 W
- ↔ 55 mm
- ↕ 60 mm
- 4000 K, 210 lm



23212

- 💡 LED 10 W
- ↔ 100 mm
- ↕ 65 mm
- 4000 K, 700 lm



23220

- 💡 1 x GU10, max. LED 10 W
- ↔ 55 mm
- ↕ 100 mm

TOSCANA series

22972

 1 x E27, max. 40 W
 130 mm
 220 mm
 110 mm
 IP44

22974

 1 x E27, max. 40 W
 130 mm
 230 mm
 110 mm
 IP44





22971

 1 x E27, max. 40 W
 130 mm
 190 mm
 110 mm
 IP44

22973





 2 x E27, max. 40 W
 130 mm
 300 mm
 110 mm
 IP44

22975

 1 x E27, max. 40 W
 100 mm
 250 mm
 175 mm
 IP44



22976

 2 x E27, max. 40 W
 100 mm
 400 mm
 175 mm
 IP44



22811

1 x E27, max. 60 W
 108 mm
 204 mm
 145 mm
 IP 65



22812

2 x E27, max. 60 W
 108 mm
 310 mm
 145 mm
 IP 65

22833

1 x GU10, max. 35 W
 92 mm
 165 mm
 105 mm
 IP 44



22834

2 x GU10, max. 35 W
 92 mm
 233 mm
 105 mm
 IP 44

PALERMO series

22832

1 x E27, max. 60 W
 82 mm
 220 mm
 119 mm
 IP 44



22813

1 x E27, max. 60 W
 210 mm
 215 mm
 250 mm
 IP44

22830

1 x E27, max. 60 W
 120 mm
 250 mm
 178 mm
 IP 65



22831

1 x E27, max. 60 W
 120 mm
 800 mm
 IP 65

SIENA series



22821

💡 1 x E27, max. 60 W
 |<->| 275 mm
 |<v>| 390 mm
 ↙ ↘ 330 mm
 IP44

22822

💡 1 x E27, max. 60 W
 |<->| 275 mm
 |<v>| 330 mm
 ↙ ↘ 565 mm
 IP44



MONZA series

22824

💡 2 x E27, max. 60 W
 |<->| 690 mm
 |<v>| 2100 mm
 IP44



22823

💡 1 x E 27, max. 60 W
 |<->| 275 mm
 |<v>| 905 mm
 IP 44



TORINO series



22825

💡 1 x E27, max. 60 W
 |<->| 120 mm
 |<v>| 377 mm
 ↙ ↘ 178 mm
 IP54



22829

💡 1 x E27, max. 60 W
 |<->| 190 mm
 |<v>| 286 mm
 ↙ ↘ 233 mm
 IP54

22828

💡 1 x E27, max. 60 W
 |<->| 120 mm
 |<v>| 800 mm
 IP54



22826

💡 1 x E27, max. 60 W
 |<->| 120 mm
 |<v>| 240 mm
 ↙ ↘ 150 mm
 IP54



22827

💡 1 x E27, max. 60 W
 |<->| 120 mm
 |<v>| 264 mm
 IP54



22816

💡 1 x E27, max. 60 W
|<->| 170 mm
|↑↓| 860 mm
IP44

22817

💡 1 x E27, max. 60 W
|<->| 203 mm
|↑↓| 900 mm
IP44

ADRIA series

22814

💡 1 x E27, max. 60 W
|<->| 170 mm
|↑↓| 275 mm
↙↘ 215 mm
IP44

22818

💡 1 x E27, max. 60 W
|<->| 170 mm
|↑↓| 940 mm
IP44

22815

💡 1 x E27, max. 60 W
|<->| 203 mm
|↑↓| 310 mm
↙↘ 240 mm
IP44

22820

💡 3 x E27, max. 60 W
|<->| 565 mm
|↑↓| 2200 mm
IP44

22819

💡 1 x E27, max. 60 W
|<->| 203 mm
|↑↓| 970 mm
IP44

22977

- 💡 LED 20 W
- ↔ 139 mm
- ↕ 260 mm
- ↙ 90 mm
- ☉ 6500 K, 1700 lm
- IP44

22979

- 💡 LED 12 W
- ↔ 170 mm
- ↙ 90 mm
- ☉ 6500 K, 1700 lm
- IP44

NONO series

22978

- 💡 LED 20 W
- ↔ 139 mm
- ↕ 260 mm
- ↙ 90 mm
- ☉ 6500 K, 1700 lm
- IP44

22981

- 💡 1 x E 27 + LED 2 W
- ↔ 102 mm
- ↕ 230 mm
- ↙ 170 mm
- ☉ solarna
- IP44

22980

- 💡 LED 3 x 2 W
- ↔ 140 mm
- ↕ 95 mm
- ↙ 70 mm
- ☉ 3000 K, 510 lm
- IP44

22982

- 💡 LED 2 x 2 W
- ↔ 140 mm
- ↕ 170 mm
- ↙ 81 mm
- ☉ 3000 K, 340 lm
- IP44

SOLARE series



Vidik

BELLA LUCE

Hrvatska / Croatia
43000 Bjelovar
Ivana Viteza Trnskog 7
Tel. +385 (0)43 221 550
komercijala@vidik.t-com.hr
www.vidik.hr